

AP-220-MNT-W2 Wall Mount Kit

Installation Guide

The AP-220-MNT-W2 allows you to securely mount your 220 access point to a wall.

Package Contents

- AP-130-MNT-W2 Mounting Bracket
- 2x Ethernet Cable Adapter
- T8 Torx Security Screw

Installation

Complete the following steps to install you 220 access point using the AP-220-MNT-W2.


Ethernet Cable Routing Options

There are three options for routing the Ethernet cable depending the placement of your AP in relation to the source of the Ethernet cable.

Ethernet Cable From Below AP

1. Route the Ethernet cable(s) through the channel in the rear of the mount.
2. Loop the Ethernet cable(s) over the top of the mount and direct the cable(s) through the opening leading to the AP's Ethernet ports.
3. If required, route the power cable through the bottom right of mounting bracket.
4. Install the mounting bracket as described in ["Installing the Mounting Bracket" on page 3](#).


Figure 1 *Ethernet cable from below the AP*



Ethernet Cable Behind AP

1. Route the Ethernet cable(s) through the large opening in the center of the mount.
2. If required, route the power cable through the bottom right of mounting bracket.
3. Install the mounting bracket as described in "Installing the Mounting Bracket" on page 3.


Figure 2 Ethernet cable behind AP



Using The Ethernet Cable Adapter

1. Install Ethernet cable adapter(s) by sliding the female end of the adapter into the slot behind the access on the side of the mounting bracket. The adapter is secured when it clicks into place.
2. If required, route the power cable through the bottom right of mounting bracket.
3. Install the mounting bracket as described in "Installing the Mounting Bracket" on page 3.


Figure 3 Using the Ethernet cable adapter



Installing the Mounting Bracket


1. Install any necessary wall anchors. Wall anchors are not included in this kit.
2. Align the screw holes in the mounting bracket with the previously installed anchors or demarcated screw points.
3. Insert the screws to secure the mounting bracket. Screws are not included in this kit. Ensure that no Ethernet cable(s) are obstructing the screw holes.

Figure 4 *Attaching the Adapter to a Wall*



4. Attach any necessary cables and/or antennas to the AP.
5. Push the metal slider up to allow the AP to connect.
6. While still pushing the metal slider, align the mounting posts on the bracket with the mounting holes shown in [Figure 5](#).

Figure 5 *Attaching the AP to the Mounting Bracket*



7. (Optional) Install the T8 Torx security screw into the screw hole next to slider for additional security.

Figure 6 *Completed Installation*

