

## CPW65

## **CP Wireless DECT Expansion Mic CPW65**

The Yealink CPW65 is a Wireless Expansion Mic that works as an audio input device for Yealink CP965 conference phone. Covered

with black fabric (the same material as CP965), CPW65 is elegant, waterproof, greaseproof, and antifouling. Its 3 built-in microphones support a 360-degree voice pickup range with a 10-foot (3-meter) radius, which can guarantee you a balanced and crystal-clear audio experience. You can easily expand the voice pickup range of CP965 by connecting it to 2 CPW65 wirelessly, and the connection distance is up to 20 meters. CPW65 is easy to use with intuitive capacitive mute buttons. What's more, just by randomly putting CPW65 on the charger cradle, the charging is proceeding without worrying about its direction. Its long battery life can offer you 11-day standby time or 12-hour talk time, saving you from frequent charging. All of the advantages make CPW65 an ideal choice for organizations that need optimal microphone placement and wider room coverage.



## **Key Features and Benefits**



Optimal HD Voice



Wireless Expansion Microphone



Capacitive Mute Touchpad




Place-and-Charge Charger Cradle



## **Specifications**

Specifications	Description
Features	<ul> <li>Optimal HD voice</li> <li>Full duplex technology</li> <li>Muting the microphone with touchpad</li> <li>10-foot (3-meter) 360° voice pickup</li> <li>Largest distance between CP965 and CPW65: 20 meters</li> <li>1500 mAh battery capacity</li> <li>13-hour talk time</li> <li>11-day standby time</li> </ul>
Physical Feature	<ul> <li>Dimension (W x D x H):</li> <li>-Microphone: 78.59 mm x 78.59 mm x 15.3 mm</li> <li>-Charge Cradle: 100 mm x 60 mm x 25.8 mm</li> <li>Operating humidity: 10-90%</li> <li>Storage temperature: -20-60°C</li> </ul>
DECT	<ul> <li>Frequency bands:</li> <li>1880 – 1900 MHz (Europe)</li> <li>1920 – 1930 MHz (US)</li> <li>1902 – 1906 MHz (THA)</li> <li>1910 – 1920 MHz (BA)</li> </ul>
Package Content	<ul> <li>2 x CP Wireless Expansion Microphone</li> <li>Charger Cradle</li> <li>0.3 m Micro USB Cable</li> <li>Quick Start Guide</li> </ul>
Package Features	<ul> <li>Qty/CTN: 20 PCS</li> <li>N.W/CTN: 7.368 kg</li> <li>G.W/CTN: 7.812 kg</li> <li>Giftbox size: 190 mm x 82 mm x 48 mm</li> <li>Carton meas: 395 mm x 251 mm x 185 mm</li> </ul>
Compliance	CE Extrication Sound REACH ISO 9001





Click Here to go to the product introduction on the Yealink official website.